

CORRIGENDUM dated  
01.06.2021


of

E-tender for Empanelment of agencies for Interior Fixtures and Installations for Retail Shop and empanelment of agencies for supply of Completely Furnished Pre-Fabricated Cabins for Retail Outlet Ref No. 2021-05-22-01 Service Provider-1 Date - 01.06.2021

Particulars	Details
Name of Bid Issuer	HAICL
Name of the Engagement	Empanelment of agencies for Interior Fixtures and Installations for Retail Shop and Completely Furnished Pre-Fabricated Cabins for Retail Outlet.
E-tender Publication Date	22.05.2021
Pre bid meeting	31.05.2021
Corrigendum issued on	01.06.2021
Last date & time for submission of bid	08.06.2021 till 5:00 pm
Manual submission of only additional documents, if required	09.06.2021 till 1:00 pm
Date of opening of E-technical and financial bid respectively	09.06.2021 at 11:00 am & 4:00 pm (Bidders to attend in person or through VC)
Source of E-tender copy downloading	Tender shall be downloaded free of cost from portal
Tender Document Fee	Rs. 1,000/- (Rupees One Thousand only)
Tender Processing fee	Rs. 1,000/- (Rupees One Thousand only)
Earnest Money Deposit	Rs. 50,000/- (Rupees. Fifty Thousand only). Bank Detail of HAICL for NEFT- Haryana Agro Industries Corporation LTD-Retail Punjab & Sind Bank, Sector- 5, Panchkula. A/c No.- 09151100731596 , IFSC- PSIB0000915
Contact Person	Manager marketing and IT advisor

Sr. No.	Chapter	Clause	Content in E-Tender Requiring Clarification	Clarification Sought	Conclusion	Action	Justification
1.	Chapter 7- Eligibility Criteria	Point 3 on Pg. No. 16	Client's certificate and agreement/work order	Vendors were not sure on providing work order of their last completed project in similar nature of scope	The vendors need to submit previous work orders of a single organization, where the total project value would be as per the eligibility criteria point3. E.g., If the vendor has completed a project value of Rs. 1 cr for a single organization, then the vendor can submit multiple work order or invoice for the same.	Clarified	Due to large scale of work, HAICL seek good organizations which have capabilities to deliver the work within given time along with consistency in quality

Sr. No.	Chapter	Clause	Content in E-Tender Requiring Clarification	Clarification Sought	Conclusion	Action	Justification																																																				
2.	<b>Chapter 6; Scope of work</b>	Point 12 on Pg. No. 15	<p>The rates quoted in the tender are applicable till the completion of the contract and no variation by way of any extra will be allowed under any circumstances. The rates given in the schedule of rates are inclusive of Octroi, terminal tax, Royalty and all other taxes and charges. However, if there is increase or decrease by defined percentage in major raw material costs i.e., CRCA/ iron related material etc, HAICL will negotiate and enhance/reduce the quoted price. The authorized vendor will apprise HAICL via email about market trend of major material, at least every 15th day or on same day when there is increase or decrease by 15% or more. The amendment in prices will be as follows:</p> <table border="1"> <thead> <tr> <th>Category</th> <th>Major Raw Material &amp; Current Price</th> <th>Major Raw Material &amp; Current Price (Inclusive of Taxes)</th> <th>Variance in Raw Material Cost</th> <th>Implication on End Product Price</th> </tr> </thead> <tbody> <tr> <td rowspan="3">Wall Rack Display/Wall mounted rack</td> <td rowspan="3">MS-Rs. 77/ Kg</td> <td rowspan="3">MS-Rs. 90/ Kg</td> <td>10%</td> <td>7.5%</td> </tr> <tr> <td>20%</td> <td>15.0%</td> </tr> <tr> <td>30%</td> <td>22.5%</td> </tr> <tr> <td rowspan="3">Display Central Rack</td> <td rowspan="3">MS-Rs. 77/ Kg</td> <td rowspan="3">MS-Rs. 90/ Kg</td> <td>10%</td> <td>7.5%</td> </tr> <tr> <td>20%</td> <td>15.0%</td> </tr> <tr> <td>30%</td> <td>22.5%</td> </tr> <tr> <td rowspan="3">Signage</td> <td rowspan="3">MS-Rs. 77/ Kg</td> <td rowspan="3">MS-Rs. 90/ Kg</td> <td>10%</td> <td>5.0%</td> </tr> <tr> <td>20%</td> <td>10.0%</td> </tr> <tr> <td>30%</td> <td>15.0%</td> </tr> </tbody> </table>	Category	Major Raw Material & Current Price	Major Raw Material & Current Price (Inclusive of Taxes)	Variance in Raw Material Cost	Implication on End Product Price	Wall Rack Display/Wall mounted rack	MS-Rs. 77/ Kg	MS-Rs. 90/ Kg	10%	7.5%	20%	15.0%	30%	22.5%	Display Central Rack	MS-Rs. 77/ Kg	MS-Rs. 90/ Kg	10%	7.5%	20%	15.0%	30%	22.5%	Signage	MS-Rs. 77/ Kg	MS-Rs. 90/ Kg	10%	5.0%	20%	10.0%	30%	15.0%	The Vendor has raised an issue that due to changing cost of raw material on daily basis there would be variation in invoices. Also, there was confusion on what cost the vendor should take to submit the financial bid.	<p>HAICL has asked vendors to take raw material benchmark cost of Rs. 90 for submission of financial bid.</p> <p>In case, the raw material price increases, at the time of the work execution then the vendor will take prior approval from HAICL. At the time of submission of invoice to HAICL, the vendor has to consider the cost of raw material (CRC) of invoice date and the same needs to provide to HAICL along with invoice copy. The vendor can refer JSW, Bhushan and other portals for reference of cost of raw material. If HAICL finds any discrepancy in invoice in terms of cost of raw material or any other the same needs to be revised and resubmitted to HAICL. Increase/decrease in raw material prices will be calculated on the basis of fixture/racks weight as shared in below table;</p> <table border="1"> <thead> <tr> <th>Category</th> <th>Major Raw Material &amp; Current Price (Inclusive of Taxes)</th> <th>Configuration</th> <th>Wt. (in kgs)</th> </tr> </thead> <tbody> <tr> <td rowspan="2">Wall Rack Display/Wall mounted rack</td> <td rowspan="2">MS-Rs. 90/ Kg</td> <td>W 2'-0" x H 7'-0"</td> <td>33</td> </tr> <tr> <td>W 3'-0" x H 7'-0"</td> <td>42</td> </tr> <tr> <td>Display Central Rack</td> <td>MS-Rs. 90/ Kg</td> <td>W 3'-0" x H 5'-0" X D 3'-0"</td> <td>60</td> </tr> <tr> <td rowspan="2">Signage</td> <td rowspan="2">MS-Rs. 90/ Kg</td> <td>Pipe Frame (9' x 3')</td> <td>12</td> </tr> <tr> <td>Box Fram</td> <td>20</td> </tr> </tbody> </table>	Category	Major Raw Material & Current Price (Inclusive of Taxes)	Configuration	Wt. (in kgs)	Wall Rack Display/Wall mounted rack	MS-Rs. 90/ Kg	W 2'-0" x H 7'-0"	33	W 3'-0" x H 7'-0"	42	Display Central Rack	MS-Rs. 90/ Kg	W 3'-0" x H 5'-0" X D 3'-0"	60	Signage	MS-Rs. 90/ Kg	Pipe Frame (9' x 3')	12	Box Fram	20	Clarified and changed	To ensure cost effectiveness of the fixtures
Category	Major Raw Material & Current Price	Major Raw Material & Current Price (Inclusive of Taxes)	Variance in Raw Material Cost	Implication on End Product Price																																																							
Wall Rack Display/Wall mounted rack	MS-Rs. 77/ Kg	MS-Rs. 90/ Kg	10%	7.5%																																																							
			20%	15.0%																																																							
			30%	22.5%																																																							
Display Central Rack	MS-Rs. 77/ Kg	MS-Rs. 90/ Kg	10%	7.5%																																																							
			20%	15.0%																																																							
			30%	22.5%																																																							
Signage	MS-Rs. 77/ Kg	MS-Rs. 90/ Kg	10%	5.0%																																																							
			20%	10.0%																																																							
			30%	15.0%																																																							
Category	Major Raw Material & Current Price (Inclusive of Taxes)	Configuration	Wt. (in kgs)																																																								
Wall Rack Display/Wall mounted rack	MS-Rs. 90/ Kg	W 2'-0" x H 7'-0"	33																																																								
		W 3'-0" x H 7'-0"	42																																																								
Display Central Rack	MS-Rs. 90/ Kg	W 3'-0" x H 5'-0" X D 3'-0"	60																																																								
Signage	MS-Rs. 90/ Kg	Pipe Frame (9' x 3')	12																																																								
		Box Fram	20																																																								

Sr. No.	Chapter	Clause	Content in E-Tender Requiring Clarification	Clarification Sought	Conclusion	Action	Justification										
					<table border="1"> <tr> <td></td> <td></td> <td>e (9' x 3')</td> <td></td> </tr> <tr> <td rowspan="2">Wall Mounted Display Rack</td> <td rowspan="2">MS-Rs. 90/Kg</td> <td>W 2'-0" x H 7'-0"</td> <td>24</td> </tr> <tr> <td>W 3'-0" x H 7'-0"</td> <td>27</td> </tr> </table> <p>Note: The weight of each module should be excluded of powder coating wt.</p>			e (9' x 3')		Wall Mounted Display Rack	MS-Rs. 90/Kg	W 2'-0" x H 7'-0"	24	W 3'-0" x H 7'-0"	27		
		e (9' x 3')															
Wall Mounted Display Rack	MS-Rs. 90/Kg	W 2'-0" x H 7'-0"	24														
		W 3'-0" x H 7'-0"	27														
3.	<b>Chapter 10 &amp; 11– Technical Specification &amp; Financial Bid</b>	Point 18 Clause 18.2 Pg. No. 30 Point 11 Clause 11.2 Pg. No. 32 Point 18 Pg. No. 34 Point 11. Pg. No. 37	Slot wall size of W 4'-0" x H 4'-0"	Need clarity on what type of slot wall would be required	Mentioned below is illustrative picture: 	Clarified	To clear the doubt on the requirement of slot wall										
4.	<b>Amendment Requested</b>		As requested during the pre-bid meeting	In case, if the vendor is registered outside Haryana. Will HAICL be able to help the vendor to reduce the logistics and storage cost	Yes, HAICL will assist the vendor on reducing the storage cost by providing HAICL warehouse for storage. HAICL will not charge any rent for the same but the storage of raw materials should not exceed 7 days. The transportation cost to HAICL warehouse will be bear by the vendor. However, the transport cost to franchisee store will be bear by franchisee partner	Clarified	To get the maximum empanelment of the vendors.										
5.	<b>Chapter 10 – Technical Specification</b>	Pg. No. 29 Point 8 & 10 Pg. No. 30 & 31 Point 1 & 3	Supply and Fabrication of Modular Display Racks size W 2'0" or 3'-0" x H 7'-0" and with structure in with shelves of 20 Gauge MS (0.9 mm thickness), Channel of 14 Gauge, Bracket 12 Gauge, Backsheet 22 Gauge @ 15 inch depth -3 no.,12 inch depth – 3 nos.	As per suggestion given by vendors during pre-bid meeting that configuration of Backsheet of 22 Gauge (0.7 mm) for Display Rack/Gondola is sufficient enough	The configuration of Backsheet of Wall display rack & Central Gondola will be 22 Gauge (0.7 mm)	Clarified	To ensure the better quality & durability of the products.										